

Stock

Access Stock

- Stock List
- Get Stock
- Create Stock
- Edit Stock
- Delete Stock

Stock List

1. Request Instruction

HTTPS Method	POST
URL	http:// subdomain .supersuite.my/api/stock/list
Content Type	application/json
Response Type	JSON
Parameter Description	token: string is required.
Request Headers	<pre>{ "Content-Type":"application/json" }</pre>
Request Body	<pre>{ "token" : "B7ABD5DEEC6588997DE41B0FE0665" }</pre>

2. Response JSON Format

Successful Example

```
{
  "status" : true,
  "data" :
  [
    {
      "ref_id" :
"0B31CD0066F81E3C27674B1BB8BC7FB1",
      "total_balance_qty" : "",
      "stock_group_id" : "1",
      "stock_item_type_id" : "2",
      "item_code" : "B0001",
      "status" : "A",
      "description" : "English Book",
      "description_2" : "Text Book",
      "duty_rate" : "1.00",
      "discontinued" : "N",
      "lead_time" : "",
      "has_promoter" : "N",
      "supply_tax_code_ref_id" :
"SS31CD0066F81E3C27674B1BB8BC7FB1",
      "purchase_tax_code_ref_id" :
"PP31CD0066F81E3C27674B1BB8BC7FB1",
      "tariff_code_ref_id" :
"TT31CD0066F81E3C27674B1BB8BC7FB1",
      "stock_control" : "Y",
      "costing_method" : "WA",
      "config_uom_id" : "1",
      "standard_selling_price" : "10.00",
      "standard_selling_price_2" : "11.00",
      "min_selling_price" : "10.00",
      "max_selling_price" : "11.00",
      "min_purchase_price" : "5.00",
      "max_purchase_price" : "8.00",
      "standard_cost" : "7.00",
      "real_cost" : "7.00",
      "min_qty" : "100",
      "balance_qty" : "100",
      "re_order_level" : "50",
      "re_order_qty" : "100",
      "normal_level" : "70",
      "max_qty" : "200",
      "weight" : "100",
      "weight_uom" : "g",
      "volume" : "100",
      "volume_uom" : "",
      "shelf" : "",
      "barcode" : "123456789"
```

Fail Example	<pre>{ "status" : false, "error" : "Token invalid." }</pre>
--------------	---

3. Remark Property

Status	<p>Only Accept : A, I</p> <p>A = Active, I = Inactive</p>
Discontinued / Has Promoter / Stock Control	<p>Only Accept : Y, N</p> <p>Y = Yes, N = No</p>
Costing Method	<p>Only Accept : FC, WA, FI, LI, MR</p> <p>FC = Fixed Cost, WA = Weighted Average, FI = FIFO, LI = LIFO, MR = Most Recently</p>

Get Stock

1. Request Instruction

HTTPS Method	POST
URL	http:// subdomain .supersuite.my/api/stock/get-detail/ <ref_id>
Content Type	application/json
Response Type	JSON
Parameter Description	ref_id : string is required. token: string is required.
Request Headers	{ "Content-Type":"application/json" }
Request Body	{ "token" : "B7ABD5DEEC6588997DE41B0FE0665" }

2. Response JSON Format

Successful Example

```
{
  "status" : true,
  "data" :
  [
    {
      "ref_id" :
"0B31CD0066F81E3C27674B1BB8BC7FB1",
      "total_balance_qty" : "",
      "stock_group_id" : "1",
      "stock_item_type_id" : "2",
      "item_code" : "B0001",
      "status" : "A",
      "description" : "English Book",
      "description_2" : "Text Book",
      "duty_rate" : "1.00",
      "discontinued" : "N",
      "lead_time" : "",
      "has_promoter" : "N",
      "supply_tax_code_ref_id" :
"SS31CD0066F81E3C27674B1BB8BC7FB1",
      "purchase_tax_code_ref_id" :
"PP31CD0066F81E3C27674B1BB8BC7FB1",
      "tariff_code_ref_id" :
"TT31CD0066F81E3C27674B1BB8BC7FB1",
      "stock_control" : "Y",
      "costing_method" : "WA",
      "config_uom_id" : "1",
      "standard_selling_price" : "10.00",
      "standard_selling_price_2" : "11.00",
      "min_selling_price" : "10.00",
      "max_selling_price" : "11.00",
      "min_purchase_price" : "5.00",
      "max_purchase_price" : "8.00",
      "standard_cost" : "7.00",
      "real_cost" : "7.00",
      "min_qty" : "100",
      "balance_qty" : "100",
      "re_order_level" : "50",
      "re_order_qty" : "100",
      "normal_level" : "70",
      "max_qty" : "200",
      "weight" : "100",
      "weight_uom" : "g",
      "volume" : "100",
      "volume_uom" : "",
      "shelf" : "",
      "barcode" : "123456789"
```

Fail Example	<pre>{ "status" : false, "error" : "Token invalid. / Stock does not existing." }</pre>
--------------	--

3. Remark Property

Status	<p>Only Accept : A, I</p> <p>A = Active, I = Inactive</p>
Discontinued / Has Promoter / Stock Control	<p>Only Accept : Y, N</p> <p>Y = Yes, N = No</p>
Costing Method	<p>Only Accept : FC, WA, FI, LI, MR</p> <p>FC = Fixed Cost, WA = Weighted Average, FI = FIFO, LI = LIFO, MR = Most Recently</p>

Create Stock

1. Request Instruction

HTTPS Method	POST
URL	http:// subdomain .supersuite.my/api/stock/create
Content Type	application/json
Response Type	JSON

Parameter Description

token : string, is required.
stock_group_id : int.
stock_item_type_id" : int.
item_code : string.
status : char (1), is required.
description : string, is required.
description_2 : string
duty_rate : decimal.
discontinued : char (1), is required.
lead_time : string.
has_promoter : char (1),is required.
supply_tax_code_ref_id : string.
purchase_tax_code_ref_id : string.
tariff_code_ref_id : string.
stock_control : char (1),is required.
costing_method : char (2).
config_uom_id : int.
standard_selling_price : decimal.
standard_selling_price_2 : decimal.
min_selling_price : decimal.
max_selling_price : decimal.
min_purchase_price : decimal.
max_purchase_price : decimal.
standard_cost : decimal.
min_qty : int.
re_order_level : int.
re_order_qty : int.
normal_level : int.
max_qty : int.
weight : int.
weight_uom : string.
volume : int.
volume_uom : string.
shelf : string.
barcode : string.
redeem_bonus_point : int.
image : string.
remark : string.

Request Headers

```
{  
  "Content-Type":"application/json"  
}
```

Request Body

```
{
  "token" : "B7ABD5DEEC6588997DE41B0FE0665",
  "stock_group_id" : "1",
  "stock_item_type_id" : "2",
  "item_code" : "B0001",
  "status" : "A",
  "description" : "English Book",
  "description_2" : "Text Book",
  "duty_rate" : "1.00",
  "discontinued" : "N",
  "lead_time" : "",
  "has_promoter" : "N",
  "supply_tax_code_ref_id" :
  "SS31CD0066F81E3C27674B1BB8BC7FB1",
  "purchase_tax_code_ref_id" :
  "PP31CD0066F81E3C27674B1BB8BC7FB1",
  "tariff_code_ref_id" :
  "TT31CD0066F81E3C27674B1BB8BC7FB1",
  "stock_control" : "Y",
  "costing_method" : "WA",
  "config_uom_id" : "1",
  "standard_selling_price" : "10.00",
  "standard_selling_price_2" : "11.00",
  "min_selling_price" : "10.00",
  "max_selling_price" : "11.00",
  "min_purchase_price" : "5.00",
  "max_purchase_price" : "8.00",
  "standard_cost" : "7.00",
  "min_qty" : "100",
  "re_order_level" : "50",
  "re_order_qty" : "100",
  "normal_level" : "70",
  "max_qty" : "200",
  "weight" : "100",
  "weight_uom" : "g",
  "volume" : "100",
  "volume_uom" : "",
  "shelf" : "",
  "barcode" : "123456789",
  "redeem_bonus_point" : "100",
  "image" : "",
  "remark" : "",
}
```

2. Response JSON Format

Successful Example	<pre>{ "status" : true, "item_code" : "B001", "ref_id" : "SSBD5DEEC6588997DE41B0FE0665", }</pre>
Fail Example	<pre>{ "status" : false, "error" : "Token invalid. / Stock save fail." }</pre>

3. Remark Property

Item Code	If item code is empty, it will auto generate by system.
Status	Only Accept : A, I A = Active, I = Inactive
Discontinued / Has Promoter / Stock Control	Only Accept : Y, N Y = Yes, N = No
Costing Method	Only Accept : FC, WA, FI, LI, MR FC = Fixed Cost, WA = Weighted Average, FI = FIFO, LI = LIFO, MR = Most Recently

Edit Stock

1. Request Instruction

HTTPS Method	POST
URL	http:// subdomain .supersuite.my/api/stock/edit
Content Type	application/json
Response Type	JSON

Parameter Description

token : string, is required.
stock_group_id : int.
stock_item_type_id" : int.
item_code : string, is required.
status : char (1), is required.
description : string, is required.
description_2 : string
duty_rate : decimal.
discontinued : char (1), is required.
lead_time : string.
has_promoter : char (1),is required.
supply_tax_code_ref_id : string.
purchase_tax_code_ref_id : string.
tariff_code_ref_id : string.
stock_control : char (1),is required.
costing_method : char (2).
config_uom_id : int.
standard_selling_price : decimal.
standard_selling_price_2 : decimal.
min_selling_price : decimal.
max_selling_price : decimal.
min_purchase_price : decimal.
max_purchase_price : decimal.
standard_cost : decimal.
min_qty : int.
re_order_level : int.
re_order_qty : int.
normal_level : int.
max_qty : int.
weight : int.
weight_uom : string.
volume : int.
volume_uom : string.
shelf : string.
barcode : string.
redeem_bonus_point : int.
image : string.
remark : string.

Request Headers

```
{  
  "Content-Type":"application/json"  
}
```

Request Body

```
{
  "token" : "B7ABD5DEEC6588997DE41B0FE0665",
  "stock_group_id" : "1",
  "stock_item_type_id" : "2",
  "item_code" : "B0001",
  "status" : "A",
  "description" : "English Book",
  "description_2" : "Text Book",
  "duty_rate" : "1.00",
  "discontinued" : "N",
  "lead_time" : "",
  "has_promoter" : "N",
  "supply_tax_code_ref_id" :
  "SS31CD0066F81E3C27674B1BB8BC7FB1",
  "purchase_tax_code_ref_id" :
  "PP31CD0066F81E3C27674B1BB8BC7FB1",
  "tariff_code_ref_id" :
  "TT31CD0066F81E3C27674B1BB8BC7FB1",
  "stock_control" : "Y",
  "costing_method" : "WA",
  "config_uom_id" : "1",
  "standard_selling_price" : "10.00",
  "standard_selling_price_2" : "11.00",
  "min_selling_price" : "10.00",
  "max_selling_price" : "11.00",
  "min_purchase_price" : "5.00",
  "max_purchase_price" : "8.00",
  "standard_cost" : "7.00",
  "min_qty" : "100",
  "re_order_level" : "50",
  "re_order_qty" : "100",
  "normal_level" : "70",
  "max_qty" : "200",
  "weight" : "100",
  "weight_uom" : "g",
  "volume" : "100",
  "volume_uom" : "",
  "shelf" : "",
  "barcode" : "123456789",
  "redeem_bonus_point" : "100",
  "image" : "",
  "remark" : "",
}
```

2. Response JSON Format

Successful Example	<pre>{ "status" : true, "item_code" : "B001", "ref_id" : "SSBD5DEEC6588997DE41B0FE0665", }</pre>
Fail Example	<pre>{ "status" : false, "error" : "Token invalid. / Stock save fail." }</pre>

3. Remark Property

Status	Only Accept : A, I A = Active, I = Inactive
Discontinued / Has Promoter / Stock Control	Only Accept : Y, N Y = Yes, N = No
Costing Method	Only Accept : FC, WA, FI, LI, MR FC = Fixed Cost, WA = Weighted Average, FI = FIFO, LI = LIFO, MR = Most Recently

Delete Stock

1. Request Instruction

HTTPS Method	POST
URL	http:// subdomain .supersuite.my/api/stock/delete/ <ref_id>
Content Type	application/json
Response Type	JSON
Parameter Description	ref_id: string, is required. token : string, is required.
Request Headers	<pre>{ "Content-Type":"application/json" }</pre>
Request Body	<pre>{ "token" : "B7ABD5DEEC6588997DE41B0FE0665", }</pre>

2. Response JSON Format

Successful Example	<pre>{ "status" : true, }</pre>
Fail Example	<pre>{ "status" : false, "error" : "Token invalid. / Stock delete fail." }</pre>