

# Stock

## Access Stock

- Stock List
- Get Stock
- Create Stock
- Edit Stock
- Delete Stock

# Stock List

## 1. Request Instruction

HTTPS Method	POST
URL	http:// <b>subdomain</b> .supersuite.my/api/stock/list
Content Type	application/json
Response Type	JSON
Parameter Description	token: string is required.
Request Headers	<pre>{   "Content-Type":"application/json" }</pre>
Request Body	<pre>{   "token" : "B7ABD5DEEC6588997DE41B0FE0665" }</pre>

## 2. Response JSON Format



Successful Example

```
{
  "status" : true,
  "data" :
  [
    {
      "ref_id" :
"0B31CD0066F81E3C27674B1BB8BC7FB1",
      "total_balance_qty" : "",
      "stock_group_id" : "1",
      "stock_item_type_id" : "2",
      "item_code" : "B0001",
      "status" : "A",
      "description" : "English Book",
      "description_2" : "Text Book",
      "duty_rate" : "1.00",
      "discontinued" : "N",
      "lead_time" : "",
      "has_promoter" : "N",
      "supply_tax_code_ref_id" :
"SS31CD0066F81E3C27674B1BB8BC7FB1",
      "purchase_tax_code_ref_id" :
"PP31CD0066F81E3C27674B1BB8BC7FB1",
      "tariff_code_ref_id" :
"TT31CD0066F81E3C27674B1BB8BC7FB1",
      "stock_control" : "Y",
      "costing_method" : "WA",
      "config_uom_id" : "1",
      "standard_selling_price" : "10.00",
      "standard_selling_price_2" : "11.00",
      "min_selling_price" : "10.00",
      "max_selling_price" : "11.00",
      "min_purchase_price" : "5.00",
      "max_purchase_price" : "8.00",
      "standard_cost" : "7.00",
      "real_cost" : "7.00",
      "min_qty" : "100",
      "balance_qty" : "100",
      "re_order_level" : "50",
      "re_order_qty" : "100",
      "normal_level" : "70",
      "max_qty" : "200",
      "weight" : "100",
      "weight_uom" : "g",
      "volume" : "100",
      "volume_uom" : "",
      "shelf" : "",
      "barcode" : "123456789"
```

Fail Example	<pre>{   "status" : false,   "error" : "Token invalid." }</pre>
--------------	---

### 3. Remark Property

Status	<p>Only Accept : A, I</p> <p>A = Active, I = Inactive</p>
Discontinued / Has Promoter / Stock Control	<p>Only Accept : Y, N</p> <p>Y = Yes, N = No</p>
Costing Method	<p>Only Accept : FC, WA, FI, LI, MR</p> <p>FC = Fixed Cost, WA = Weighted Average, FI = FIFO, LI = LIFO, MR = Most Recently</p>

# Get Stock

## 1. Request Instruction

HTTPS Method	POST
URL	http:// <b>subdomain</b> .supersuite.my/api/stock/get-detail/ <b>&lt;ref_id&gt;</b>
Content Type	application/json
Response Type	JSON
Parameter Description	ref_id : string is required. token: string is required.
Request Headers	{ "Content-Type":"application/json" }
Request Body	{ "token" : "B7ABD5DEEC6588997DE41B0FE0665" }

## 2. Response JSON Format



Successful Example

```
{
  "status" : true,
  "data" :
  [
    {
      "ref_id" :
"0B31CD0066F81E3C27674B1BB8BC7FB1",
      "total_balance_qty" : "",
      "stock_group_id" : "1",
      "stock_item_type_id" : "2",
      "item_code" : "B0001",
      "status" : "A",
      "description" : "English Book",
      "description_2" : "Text Book",
      "duty_rate" : "1.00",
      "discontinued" : "N",
      "lead_time" : "",
      "has_promoter" : "N",
      "supply_tax_code_ref_id" :
"SS31CD0066F81E3C27674B1BB8BC7FB1",
      "purchase_tax_code_ref_id" :
"PP31CD0066F81E3C27674B1BB8BC7FB1",
      "tariff_code_ref_id" :
"TT31CD0066F81E3C27674B1BB8BC7FB1",
      "stock_control" : "Y",
      "costing_method" : "WA",
      "config_uom_id" : "1",
      "standard_selling_price" : "10.00",
      "standard_selling_price_2" : "11.00",
      "min_selling_price" : "10.00",
      "max_selling_price" : "11.00",
      "min_purchase_price" : "5.00",
      "max_purchase_price" : "8.00",
      "standard_cost" : "7.00",
      "real_cost" : "7.00",
      "min_qty" : "100",
      "balance_qty" : "100",
      "re_order_level" : "50",
      "re_order_qty" : "100",
      "normal_level" : "70",
      "max_qty" : "200",
      "weight" : "100",
      "weight_uom" : "g",
      "volume" : "100",
      "volume_uom" : "",
      "shelf" : "",
      "barcode" : "123456789"
```



Fail Example	<pre>{   "status" : false,   "error" : "Token invalid. / Stock does not existing." }</pre>
--------------	--

### 3. Remark Property

Status	<p>Only Accept : A, I</p> <p>A = Active, I = Inactive</p>
Discontinued / Has Promoter / Stock Control	<p>Only Accept : Y, N</p> <p>Y = Yes, N = No</p>
Costing Method	<p>Only Accept : FC, WA, FI, LI, MR</p> <p>FC = Fixed Cost, WA = Weighted Average, FI = FIFO, LI = LIFO, MR = Most Recently</p>

# Create Stock

## 1. Request Instruction

HTTPS Method	POST
URL	http:// <b>subdomain</b> .supersuite.my/api/stock/create
Content Type	application/json
Response Type	JSON

Parameter Description

token : string, is required.  
stock\_group\_id : int.  
stock\_item\_type\_id" : int.  
item\_code : string.  
status : char (1), is required.  
description : string, is required.  
description\_2 : string  
duty\_rate : decimal.  
discontinued : char (1), is required.  
lead\_time : string.  
has\_promoter : char (1),is required.  
supply\_tax\_code\_ref\_id : string.  
purchase\_tax\_code\_ref\_id : string.  
tariff\_code\_ref\_id : string.  
stock\_control : char (1),is required.  
costing\_method : char (2).  
config\_uom\_id : int.  
standard\_selling\_price : decimal.  
standard\_selling\_price\_2 : decimal.  
min\_selling\_price : decimal.  
max\_selling\_price : decimal.  
min\_purchase\_price : decimal.  
max\_purchase\_price : decimal.  
standard\_cost : decimal.  
min\_qty : int.  
re\_order\_level : int.  
re\_order\_qty : int.  
normal\_level : int.  
max\_qty : int.  
weight : int.  
weight\_uom : string.  
volume : int.  
volume\_uom : string.  
shelf : string.  
barcode : string.  
redeem\_bonus\_point : int.  
image : string.  
remark : string.

Request Headers

```
{  
  "Content-Type":"application/json"  
}
```

Request Body

```
{
  "token" : "B7ABD5DEEC6588997DE41B0FE0665",
  "stock_group_id" : "1",
  "stock_item_type_id" : "2",
  "item_code" : "B0001",
  "status" : "A",
  "description" : "English Book",
  "description_2" : "Text Book",
  "duty_rate" : "1.00",
  "discontinued" : "N",
  "lead_time" : "",
  "has_promoter" : "N",
  "supply_tax_code_ref_id" :
  "SS31CD0066F81E3C27674B1BB8BC7FB1",
  "purchase_tax_code_ref_id" :
  "PP31CD0066F81E3C27674B1BB8BC7FB1",
  "tariff_code_ref_id" :
  "TT31CD0066F81E3C27674B1BB8BC7FB1",
  "stock_control" : "Y",
  "costing_method" : "WA",
  "config_uom_id" : "1",
  "standard_selling_price" : "10.00",
  "standard_selling_price_2" : "11.00",
  "min_selling_price" : "10.00",
  "max_selling_price" : "11.00",
  "min_purchase_price" : "5.00",
  "max_purchase_price" : "8.00",
  "standard_cost" : "7.00",
  "min_qty" : "100",
  "re_order_level" : "50",
  "re_order_qty" : "100",
  "normal_level" : "70",
  "max_qty" : "200",
  "weight" : "100",
  "weight_uom" : "g",
  "volume" : "100",
  "volume_uom" : "",
  "shelf" : "",
  "barcode" : "123456789",
  "redeem_bonus_point" : "100",
  "image" : "",
  "remark" : "",
}
```

## 2. Response JSON Format

Successful Example	<pre>{   "status" : true,   "item_code" : "B001",   "ref_id" : "SSBD5DEEC6588997DE41B0FE0665", }</pre>
Fail Example	<pre>{   "status" : false,   "error" : "Token invalid. / Stock save fail." }</pre>

## 3. Remark Property

Item Code	If item code is empty, it will auto generate by system.
Status	Only Accept : A, I  A = Active, I = Inactive
Discontinued / Has Promoter / Stock Control	Only Accept : Y, N  Y = Yes, N = No
Costing Method	Only Accept : FC, WA, FI, LI, MR  FC = Fixed Cost, WA = Weighted Average, FI = FIFO, LI = LIFO, MR = Most Recently

# Edit Stock

## 1. Request Instruction

HTTPS Method	POST
URL	http:// <b>subdomain</b> .supersuite.my/api/stock/edit
Content Type	application/json
Response Type	JSON

Parameter Description

token : string, is required.  
stock\_group\_id : int.  
stock\_item\_type\_id" : int.  
item\_code : string, is required.  
status : char (1), is required.  
description : string, is required.  
description\_2 : string  
duty\_rate : decimal.  
discontinued : char (1), is required.  
lead\_time : string.  
has\_promoter : char (1),is required.  
supply\_tax\_code\_ref\_id : string.  
purchase\_tax\_code\_ref\_id : string.  
tariff\_code\_ref\_id : string.  
stock\_control : char (1),is required.  
costing\_method : char (2).  
config\_uom\_id : int.  
standard\_selling\_price : decimal.  
standard\_selling\_price\_2 : decimal.  
min\_selling\_price : decimal.  
max\_selling\_price : decimal.  
min\_purchase\_price : decimal.  
max\_purchase\_price : decimal.  
standard\_cost : decimal.  
min\_qty : int.  
re\_order\_level : int.  
re\_order\_qty : int.  
normal\_level : int.  
max\_qty : int.  
weight : int.  
weight\_uom : string.  
volume : int.  
volume\_uom : string.  
shelf : string.  
barcode : string.  
redeem\_bonus\_point : int.  
image : string.  
remark : string.



Request Headers

```
{  
  "Content-Type":"application/json"  
}
```

Request Body

```
{
  "token" : "B7ABD5DEEC6588997DE41B0FE0665",
  "stock_group_id" : "1",
  "stock_item_type_id" : "2",
  "item_code" : "B0001",
  "status" : "A",
  "description" : "English Book",
  "description_2" : "Text Book",
  "duty_rate" : "1.00",
  "discontinued" : "N",
  "lead_time" : "",
  "has_promoter" : "N",
  "supply_tax_code_ref_id" :
  "SS31CD0066F81E3C27674B1BB8BC7FB1",
  "purchase_tax_code_ref_id" :
  "PP31CD0066F81E3C27674B1BB8BC7FB1",
  "tariff_code_ref_id" :
  "TT31CD0066F81E3C27674B1BB8BC7FB1",
  "stock_control" : "Y",
  "costing_method" : "WA",
  "config_uom_id" : "1",
  "standard_selling_price" : "10.00",
  "standard_selling_price_2" : "11.00",
  "min_selling_price" : "10.00",
  "max_selling_price" : "11.00",
  "min_purchase_price" : "5.00",
  "max_purchase_price" : "8.00",
  "standard_cost" : "7.00",
  "min_qty" : "100",
  "re_order_level" : "50",
  "re_order_qty" : "100",
  "normal_level" : "70",
  "max_qty" : "200",
  "weight" : "100",
  "weight_uom" : "g",
  "volume" : "100",
  "volume_uom" : "",
  "shelf" : "",
  "barcode" : "123456789",
  "redeem_bonus_point" : "100",
  "image" : "",
  "remark" : "",
}
```

## 2. Response JSON Format

Successful Example	<pre>{   "status" : true,   "item_code" : "B001",   "ref_id" : "SSBD5DEEC6588997DE41B0FE0665", }</pre>
Fail Example	<pre>{   "status" : false,   "error" : "Token invalid. / Stock save fail." }</pre>

## 3. Remark Property

Status	<p>Only Accept : A, I</p> <p>A = Active, I = Inactive</p>
Discontinued / Has Promoter / Stock Control	<p>Only Accept : Y, N</p> <p>Y = Yes, N = No</p>
Costing Method	<p>Only Accept : FC, WA, FI, LI, MR</p> <p>FC = Fixed Cost, WA = Weighted Average, FI = FIFO, LI = LIFO, MR = Most Recently</p>

# Delete Stock

## 1. Request Instruction

HTTPS Method	POST
URL	http:// <b>subdomain</b> .supersuite.my/api/stock/delete/ <b>&lt;ref_id&gt;</b>
Content Type	application/json
Response Type	JSON
Parameter Description	ref_id: string, is required. token : string, is required.
Request Headers	<pre>{   "Content-Type":"application/json" }</pre>
Request Body	<pre>{   "token" : "B7ABD5DEEC6588997DE41B0FE0665", }</pre>

## 2. Response JSON Format

Successful Example	<pre>{   "status" : true, }</pre>
Fail Example	<pre>{   "status" : false,   "error" : "Token invalid. / Stock delete fail." }</pre>