

A/R Receive Payment List

1. Request Instruction

HTTPS Method	POST
URL	http:// subdomain .supersuite.my/api/ar-receive-payment/list
Content Type	application/json
Response Type	JSON
Parameter Description	token: string is required. branch_ref_id: string.
Request Headers	<pre>{ "Content-Type":"application/json" }</pre>
Request Body	<pre>{ "token" : "B7ABD5DEEC6588997DE41B0FE0665", "branch_ref_id" : "BB31CD0066F81E3C27674B1BB8BC7F" }</pre>

2. Response JSON Format

Successful Example

```
{
  "status" : true,
  "data" :
  [
    {
      "ref_id" :
      "0B31CD0066F81E3C27674B1BB8BC7FB1",
      "branch_ref_id" :
      "BB31CD0066F81E3C27674B1BB8BC7F",
      "doc_no" : "OR-00001",
      "number_format_ref_id" :
      "NN31CD0066F81E3C27674B1BB8BC7F",
      "date" : "2020-01-14",
      "debtor_account_number" : "300-F001",
      "project_id" : "1",
      "department_id" : "",
      "description" : "Deposit Payment",
      "second_voucher_code" : "",
      "amount" : "80.00",
      "unapplied_payment" : "0.00",
      "refund_amount" : "0.00",
      "remark" : "",
      "payments" : [
        {
          "payment_method_ref_id" :
          "PPC1CD0066F81E3C27674B1BB8BC7F",
          "chart_account_number" :
          "310-1000",
          "department_id" : "",
          "project_id" : "",
          "cheque_number" : "",
          "payment_amount" :
          "80.00",
          "bank_charge" : "10.00",
          "tax_code_ref_id" :
          "TTC1CD0066F81E3C27674B1BB8BC7F",
          "tax_rate" : "6.00",
          "tax_amount" : "0.60",
          "bank_charge_bill_number"
          : "",
          "float_day" : "1",
          "payment_by" : "Alex",
          "is_rchq" : "off",
          "rchq_date" : ""
        }
      ],
      "knock_offs" : [
        {
          "ref_id" :
          "RRC1CD0066F81E3C27674B1BB8BC7F",
          "type" : "ARI",
          "date" : "2019-12-12",
          "doc_no" : "I-00001",
          "supplier_no" : "",
          "org_amount" : "100.00",
          "outstanding" : "20.00",
          "discount_due" : "",
          "with_disc" : "off",
          "with_disc_amount" : "20.00"
        }
      ]
    }
  ]
}
```

Fail Example	<pre>{ "status" : false, "error" : "Token invalid. / No data found. " }</pre>
--------------	---

3. Remark Property

Is RCHQ	Only Accept : on, off
With Disc	Only Accept : on, off

Revision #5

Created Mon, Jan 20, 2020 2:29 AM by Nan Liang

Updated Wed, Feb 12, 2020 12:44 PM by Nan Liang