Get A/P Payment

1. Request Instruction

HTTPS Method	POST
URL	http://**subdomain**.supersuite.my/api/ap-payment/get-detail/**<ref_id>**
Content Type	application/json
Response Type	JSON
Parameter Description	ref_id : string is required. token: string is required.

Request Headers	{
	"Content-Type":"application/json"
	}

Request Body	{
	"token" : "B7ABD5DEEC6588997DE41B0FE0665"
	}

2. Response JSON Format

Successful Example


```
{
   "status" : true,
   "data" :
         [
            {
               "ref_id" :
"0B31CD0066F81E3C27674B1BB8BC7FB1",
               "branch_ref_id" :
"BB31CD0066F81E3C27674B1BB8BC7F",
               "doc_no" : "PV-00001",
               "number_format_ref_id" :
"NN31CD0066F81E3C27674B1BB8BC7F",
               "date" : "2020-01-14",
               "debtor_account_number" : "400-F001",
               "project_id" : "1",
               "department_id" : "",
               "description" : "Deposit Payment",
               "second_voucher_code" : "",
               "amount" : "80.00",
               "unapplied_payment" : "0.00",
               "refund_amount" : "0.00",
               "remark" : "",
               "payments" : [
                              {
                                "payment_method_ref_id" :
"PPC1CD0066F81E3C27674B1BB8BC7F",
                                "chart_account_number" :
"310-1000",
                                "department_id" : "",
                                "project_id" : "",
                                "cheque_number" : "",
                                "payment_amount" :
"80.00",
                                "bank_charge" : "10.00",
                                "tax_code_ref_id" :
"TTC1CD0066F81E3C27674B1BB8BC7F",
                                "tax_rate" : "6.00",
                                "tax_amount" : "0.60",
                                "bank_charge_bill_number"
: "",
                                "float_day" : "1",
                                "payment_by" : "Alex",
                                "is_rchq" : "off",
                                "rchq_date" : "",
                              }
                            ],
               "knock_offs" : [
                              {
                                "ref_id" :
"RRC1CD0066F81E3C27674B1BB8BC7F",
                                "type" : "ARI",
                                "date" : "2019-12-12",
                                "doc_no" : "PI-00001",
                                "supplier_no" : "",
                                "org_amount" : "100.00",
                                "outstanding" : "20.00",
                                "discount_due" : "",
                                "with_disc" : "off",
```

Fail Example	{
	"status" : false,
	"error" : "Token invalid. / Document does not existing."
	}

3. Remark Property

Is RCHQ	Only Accept : on, off
With Disc	Only Accept : on, off

Revision #3
Created Mon, Jan 20, 2020 3:37 AM by Nan Liang
Updated Wed, Feb 12, 2020 12:48 PM by Nan Liang